



Features

- Complies with IEEE 802.3, IEEE 802.3u and IEEE 802.3x standards
- Provides 16 10/100Mbps auto-negotiation ports
- Supports IEEE 802.3x flow control for full duplex mode and backpressure for half-duplex mode
- Supports MAC address auto-learning and auto-aging
- Auto-MDI/MDIX eliminates the need for crossover cables



Model / Product Description	SW16 / 16-Port 10/100Mbps Unmanaged Switch
Interface	16 x 10/100Mbps auto-negotiation RJ-45 Ports (Auto MDI/MDIX)
Power Supply	3.3V DC/2A
Standards	IEEE 802.3, IEEE 802.3u, IEEE 802.3x
MAC Address Learning	Auto-learning, auto update
MAC Address Table	8K
Network Media	10Base-T: UTP Cat 3, 4, 5 cable (100m, max.) EIA/TIA-568 100Ω STP (100m max.) 100Base-Tx: UTP Cat 5, 5e cable (100m, max.) EIA/TIA-568 1100Ω STP (100m max.)
LED Indicator	Power, Link/Activity
Backup Bandwidth	3.2Gbps
Transmission Method	Store-and-forward
Dimensions (L x W x H)	44 x 16 x 4.5 cm
Package Contents	1 x SW16 Switch 1 x Power Cord 1 x Brackets 1 x Rubber Feet 1 x Screws 1 x Quick Installation Guide